

TECHNICAL SHEET

1504-23 LARGE

Mounting: Sospensione / Suspension

Environment: Indoor - IP20

Materials: Metallo / Metal

Input Current: 350 mA

Source: LED 4W - CRI=90

Color Temperature: 3000K / 2700K

Lumen: Trasparent 370lm - fumè 230lm / trasparente 333lm - fumè 207lm

Cable RAL 7013



1504-21 MEDIUM

Mounting: Sospensione / Suspension

Environment: Indoor - IP20

Materials: Metallo / Metal

Input Current: 350 mA

Source: LED 4W - CRI=90

Color Temperature: 3000K / 2700K

Lumen: Trasparent 370lm - fumè 230lm / trasparente 333lm - fumè 207lm

Cable RAL 7013



1504-20 MINI

Mounting: Sospensione / Suspension

Environment: Indoor - IP20

Materials: Metallo / Metal

Input Current: 350 mA

Source: LED 4W - CRI=90

Color Temperature: 3000K / 2700K

Lumen: Trasparent 370lm - fumè 230lm / trasparente 333lm - fumè 207lm

Cable RAL 7013



Rosoni / Canopies

1704-90 CANOPY TYPE B

Mounting: a soffitto / ceiling

Environment: Indoor - IP20

Materials: Metallo / Metal

Voltage: 220-240V 50/60 Hz

Lighting Control: On-off / Dimmable 0-10V / DALI / Phase cut



1704-91 CANOPY TYPE B RECESSED

Mounting: incasso / recessed

Environment: Indoor - IP20

Materials: Metallo / Metal

Voltage: 24Vdc




NOTE:

Remote driver not included

lampade installabili su pistre type B /

lamps installable on plates type B



Finiture / Finishes

Struttura / Structure



Nero opaco
Matt black



Oro opaco
Matt gold



Cromo lucido
Glossy chrome

Vetri / Glasses



Fumé
Fumé



Trasparente
Transparent

Rosoni / Canopies



Metallo verniciato nero opaco
Matt black varnished metal



Metallo verniciato opaco titanio
Matt titanium varnished metal



Metallo verniciato bianco opaco
Matt white varnished metal

NOTE:

Tutti i corpi illuminanti possono essere venduti esclusivamente con i rosoni singoli o con le piastre multiple.

Vale altresì il viceversa: rosoni e piastre multiple non possono essere venduti separatamente dai pendenti.

Tutti gli apparecchi sono testati e garantiti nella loro interezza: pendente + rosone oppure pendente/i + piastra multipla.

Qualsiasi installazione non autorizzata non viene giudicata conforme.

Verificare quota H max nel disegno illustrativo.

All luminaires can only be sold with the single rosettes or with the multiple plates.

The reverse is also true: rosettes and multiple plates cannot be sold separately from pendants.

All fixture are tested and guaranteed in their entirety: pendant + rosette or pendant(s) + multiplate.

Any unauthorized installation will not be deemed compliant.

Check max H dimension in the illustrative drawing.

CODES

CODICI / CODES	MISURA / SIZE	STRUTTURA / STRUCTURE	DIFFUSORE / SHADE	DETTAGLI / DETAILS
1504-20-1101-N2NE	mini suspension	nero opaco / matt black	trasparente / transparent	cavo / wire 2 mt 3000K
1504-20-1101-N2WE	mini suspension	nero opaco / matt black	trasparente / transparent	cavo / wire 2 mt 2700K
1504-20-1101-N4NE	mini suspension	nero opaco / matt black	trasparente / transparent	cavo / wire 4 mt 3000K
1504-20-1101-N4WE	mini suspension	nero opaco / matt black	trasparente / transparent	cavo / wire 4 mt 2700K
1504-20-1154-N2NE	mini suspension	nero opaco / matt black	fumé	cavo / wire 2 mt 3000K
1504-20-1154-N2WE	mini suspension	nero opaco / matt black	fumé	cavo / wire 2 mt 2700K
1504-20-1154-N4NE	mini suspension	nero opaco / matt black	fumé	cavo / wire 4 mt 3000K
1504-20-1154-N4WE	mini suspension	nero opaco / matt black	fumé	cavo / wire 4 mt 2700K
1504-20-0601-N2NE	mini suspension	oro opaco / matt gold	trasparente / transparent	cavo / wire 2 mt 3000K
1504-20-0601-N2WE	mini suspension	oro opaco / matt gold	trasparente / transparent	cavo / wire 2 mt 2700K
1504-20-0601-N4NE	mini suspension	oro opaco / matt gold	trasparente / transparent	cavo / wire 4 mt 3000K
1504-20-0601-N4WE	mini suspension	oro opaco / matt gold	trasparente / transparent	cavo / wire 4 mt 2700K
1504-20-0654-N2NE	mini suspension	oro opaco / matt gold	fumé	cavo / wire 2 mt 3000K
1504-20-0654-N2WE	mini suspension	oro opaco / matt gold	fumé	cavo / wire 2 mt 2700K
1504-20-0654-N4NE	mini suspension	oro opaco / matt gold	fumé	cavo / wire 4 mt 3000K
1504-20-0654-N4WE	mini suspension	oro opaco / matt gold	fumé	cavo / wire 4 mt 2700K
1504-20-2401-N2NE	mini suspension	cromo lucido / glossy chrome	trasparente / transparent	cavo / wire 2 mt 3000K
1504-20-2401-N2WE	mini suspension	cromo lucido / glossy chrome	trasparente / transparent	cavo / wire 2 mt 2700K
1504-20-2401-N4NE	mini suspension	cromo lucido / glossy chrome	trasparente / transparent	cavo / wire 4 mt 3000K
1504-20-2401-N4WE	mini suspension	cromo lucido / glossy chrome	trasparente / transparent	cavo / wire 4 mt 2700K
1504-20-2454-N2NE	mini suspension	cromo lucido / glossy chrome	fumé	cavo / wire 2 mt 3000K
1504-20-2454-N2WE	mini suspension	cromo lucido / glossy chrome	fumé	cavo / wire 2 mt 2700K
1504-20-2454-N4NE	mini suspension	cromo lucido / glossy chrome	fumé	cavo / wire 4 mt 3000K
1504-20-2454-N4WE	mini suspension	cromo lucido / glossy chrome	fumé	cavo / wire 4 mt 2700K
1504-21-1101-N2NE	medium suspension	nero opaco / matt black	trasparente / transparent	cavo / wire 2 mt 3000K
1504-21-1101-N2WE	medium suspension	nero opaco / matt black	trasparente / transparent	cavo / wire 2 mt 2700K
1504-21-1101-N4NE	medium suspension	nero opaco / matt black	trasparente / transparent	cavo / wire 4 mt 3000K
1504-21-1101-N4WE	medium suspension	nero opaco / matt black	trasparente / transparent	cavo / wire 4 mt 2700K
1504-21-1154-N2NE	medium suspension	nero opaco / matt black	fumé	cavo / wire 2 mt 3000K
1504-21-1154-N2WE	medium suspension	nero opaco / matt black	fumé	cavo / wire 2 mt 2700K

CODES

CODICI / CODES MISURA / SIZE STRUTTURA / STRUCTURE DIFFUSORE / SHADE DETTAGLI / DETAILS

1504-21-1154-N4NE	medium suspension	nero opaco / matt black	fumé	cavo / wire 4 mt 3000K
1504-21-1154-N4WE	medium suspension	nero opaco / matt black	fumé	cavo / wire 4 mt 2700K
1504-21-0601-N2NE	medium suspension	oro opaco / matt gold	trasparente / transparent	cavo / wire 2 mt 3000K
1504-21-0601-N2WE	medium suspension	oro opaco / matt gold	trasparente / transparent	cavo / wire 2 mt 2700K
1504-21-0601-N4NE	medium suspension	oro opaco / matt gold	trasparente / transparent	cavo / wire 4 mt 3000K
1504-21-0601-N4WE	medium suspension	oro opaco / matt gold	trasparente / transparent	cavo / wire 4 mt 2700K
1504-21-0654-N2NE	medium suspension	oro opaco / matt gold	fumé	cavo / wire 2 mt 3000K
1504-21-0654-N2WE	medium suspension	oro opaco / matt gold	fumé	cavo / wire 2 mt 2700K
1504-21-0654-N4NE	medium suspension	oro opaco / matt gold	fumé	cavo / wire 4 mt 3000K
1504-21-0654-N4WE	medium suspension	oro opaco / matt gold	fumé	cavo / wire 4 mt 2700K
1504-21-2401-N2NE	medium suspension	cromo lucido / glossy chrome	trasparente / transparent	cavo / wire 2 mt 3000K
1504-21-2401-N2WE	medium suspension	cromo lucido / glossy chrome	trasparente / transparent	cavo / wire 2 mt 2700K
1504-21-2401-N4NE	medium suspension	cromo lucido / glossy chrome	trasparente / transparent	cavo / wire 4 mt 3000K
1504-21-2401-N4WE	medium suspension	cromo lucido / glossy chrome	trasparente / transparent	cavo / wire 4 mt 2700K
1504-21-2454-N2NE	medium suspension	cromo lucido / glossy chrome	fumé	cavo / wire 2 mt 3000K
1504-21-2454-N2WE	medium suspension	cromo lucido / glossy chrome	fumé	cavo / wire 2 mt 2700K
1504-21-2454-N4NE	medium suspension	cromo lucido / glossy chrome	fumé	cavo / wire 4 mt 3000K
1504-21-2454-N4WE	medium suspension	cromo lucido / glossy chrome	fumé	cavo / wire 4 mt 2700K
1504-23-1101-N2NE	large suspension	nero opaco / matt black	trasparente / transparent	cavo / wire 2 mt 3000K
1504-23-1101-N2WE	large suspension	nero opaco / matt black	trasparente / transparent	cavo / wire 2 mt 2700K
1504-23-1101-N4NE	large suspension	nero opaco / matt black	trasparente / transparent	cavo / wire 4 mt 3000K
1504-23-1101-N4WE	large suspension	nero opaco / matt black	trasparente / transparent	cavo / wire 4 mt 2700K
1504-23-1154-N2NE	large suspension	nero opaco / matt black	fumé	cavo / wire 2 mt 3000K
1504-23-1154-N2WE	large suspension	nero opaco / matt black	fumé	cavo / wire 2 mt 2700K
1504-23-1154-N4NE	large suspension	nero opaco / matt black	fumé	cavo / wire 4 mt 3000K
1504-23-1154-N4WE	large suspension	nero opaco / matt black	fumé	cavo / wire 4 mt 2700K
1504-23-0601-N2NE	large suspension	oro opaco / matt gold	trasparente / transparent	cavo / wire 2 mt 3000K
1504-23-0601-N2WE	large suspension	oro opaco / matt gold	trasparente / transparent	cavo / wire 2 mt 2700K
1504-23-0601-N4NE	large suspension	oro opaco / matt gold	trasparente / transparent	cavo / wire 4 mt 3000K
1504-23-0601-N4WE	large suspension	oro opaco / matt gold	trasparente / transparent	cavo / wire 4 mt 2700K

CODES

CODICI / CODES	MISURA / SIZE	STRUTTURA / STRUCTURE	DIFFUSORE / SHADE	DETTAGLI / DETAILS
1504-23-0654-N2NE bb	large suspension	oro opaco / matt gold	fumé	cavo / wire 2 mt 3000K
1504-23-0654-N2WE	large suspension	oro opaco / matt gold	fumé	cavo / wire 2 mt 2700K
1504-23-0654-N4NE	large suspension	oro opaco / matt gold	fumé	cavo / wire 4 mt 3000K
1504-23-0654-N4WE	large suspension	oro opaco / matt gold	fumé	cavo / wire 4 mt 2700K
1504-23-2401-N2NE	large suspension	cromo lucido / glossy chrome	trasparente / transparent	cavo / wire 2 mt 3000K
1504-23-2401-N2WE	large suspension	cromo lucido / glossy chrome	trasparente / transparent	cavo / wire 2 mt 2700K
1504-23-2401-N4NE	large suspension	cromo lucido / glossy chrome	trasparente / transparent	cavo / wire 4 mt 3000K
1504-23-2401-N4WE	large suspension	cromo lucido / glossy chrome	trasparente / transparent	cavo / wire 4 mt 2700K
1504-23-2454-N2NE	large suspension	cromo lucido / glossy chrome	fumé	cavo / wire 2 mt 3000K
1504-23-2454-N2WE	large suspension	cromo lucido / glossy chrome	fumé	cavo / wire 2 mt 2700K
1504-23-2454-N4NE	large suspension	cromo lucido / glossy chrome	fumé	cavo / wire 4 mt 3000K
1504-23-2454-N4WE	large suspension	cromo lucido / glossy chrome	fumé	cavo / wire 4 mt 2700K
1704-90-0600-NXLE	canopy type B	oro opaco / matt gold		on-off
1704-90-0600-DXLE	canopy type B	oro opaco / matt gold		dimnable 0-10V
1704-90-0100-NXLE	canopy type B	bianco opaco / matt white		on-off
1704-90-0100-DXLE	canopy type B	bianco opaco / matt white		dimnable 0-10V
1704-90-1100-NXLE	canopy type B	nero opaco / matt black		on-off
1704-90-1100-DXLE	canopy type B	nero opaco / matt black		dimnable 0-10V
1704-90-0600-PXLE	canopy type B	oro opaco / matt gold		dimnable DALI
1704-90-0100-PXLE	canopy type B	bianco opaco / matt white		dimnable DALI
1704-90-1100-PXLE	canopy type B	nero opaco / matt black		dimnable DALI
1704-90-0600-TXLE	canopy type B	oro opaco / matt gold		dimnable phase cut
1704-90-0100-TXLE	canopy type B	bianco opaco / matt white		dimnable phase cut
1704-90-1100-TXLE	canopy type B	nero opaco / matt black		dimnable phase cut
1704-91-0100-NXLE	canopy type B recessed	bianco opaco / matt white		

Canopy Type B (Sop, Storm, Wonder)



TECHNICAL SHEET

1704-90

Mounting: a soffitto / ceiling

Environment: Indoor - IP20

Materials: Metallo / Metal

Voltage: 220-240V 50/60Hz

Lighting Control: on-off / dimmable 0-10V / DALI / phase cut



1704-91*

Mounting: incasso / recessed

Environment: Indoor - IP20

Materials: Metallo / Metal

Voltage**: 24Vdc - remote driver non incluso / not included




*Cartongesso: foro Ø50 mm - spessore 10-15 mm

*Plasterboard: hole Ø50 mm - thickness 10-15 mm




**Il driver (24V-class 2) è remoto e venduto separatamente in funzione del numero dei pendenti / The remote driver is sold separately according to the number of suspensions

1704-90 CEILING



Ø11,3 x H3,5

1704-91 RECESSED



Finiture / Finishes

Ceiling canopy



Metallo verniciato nero opaco
Matt black varnished metal



Matt gold



Metallo verniciato bianco opaco
Matt white varnished metal

Recessed canopy



Metallo verniciato bianco opaco
Matt white varnished metal

Codici/ Codes

CODICI / CODES	MISURA / SIZE	STRUTTURA / STRUCTURE	DIFFUSORE / SHADE	DETTAGLI / DETAILS
1704-90-0600-NXLE	canopy type B	oro opaco / matt gold		on-off
1704-90-0600-DXLE	canopy type B	oro opaco / matt gold		dimnable 0-10V
1704-90-0100-NXLE	canopy type B	bianco opaco / matt white		on-off
1704-90-0100-DXLE	canopy type B	bianco opaco / matt white		dimnable 0-10V
1704-90-1100-NXLE	canopy type B	nero opaco / matt black		on-off
1704-90-1100-DXLE	canopy type B	nero opaco / matt black		dimnable 0-10V
1704-90-0600-PXLE	canopy type B	oro opaco / matt gold		dimnable DALI
1704-90-0100-PXLE	canopy type B	bianco opaco / matt white		dimnable DALI
1704-90-1100-PXLE	canopy type B	nero opaco / matt black		dimnable DALI
1704-90-0600-TXLE	canopy type B	oro opaco / matt gold		dimnable phase cut
1704-90-0100-TXLE	canopy type B	bianco opaco / matt white		dimnable phase cut
1704-90-1100-TXLE	canopy type B	nero opaco / matt black		dimnable phase cut
1704-91-0100-NXLE	canopy type B recessed	bianco opaco / matt white		